

13 Games

Definition 1 A game arena is a triple $\mathcal{A} = (V_0, V_1, E)$, where

- V_0 and V_1 are disjoint sets of positions, called the positions of player 0 and 1,
- $E \subseteq V \times V$ for set $V = V_0 \uplus V_1$ of game positions,
- every position $p \in V$ has at least one outgoing edge $(p, p') \in E$.

Definition 2 A play is an infinite sequence $\pi = p_0 p_1 p_2 \dots \in V^\omega$ such that $\forall i \in \omega . (p_i, p_{i+1}) \in E$.

Definition 3 A strategy for player σ is a function $f_\sigma : V^* \cdot V_\sigma \rightarrow V$ s.t. $(p, p') \in E$ whenever $f(u \cdot p) = p'$.

Definition 4 A play $\pi = p_0, p_1, \dots$ conforms to strategy f_σ of player σ if $\forall i \in \omega .$ if $p_i \in V_\sigma$ then $p_{i+1} = f_\sigma(p_0, \dots, p_i)$.

Definition 5

- A reachability game $\mathcal{G} = (\mathcal{A}, R)$ consists of a game arena and a winning set of positions $R \subseteq V$. Player 0 wins a play $\pi = p_0 p_1 \dots$ if $p_i \in R$ for some $i \in \omega$, otherwise Player 1 wins.
- A Büchi game $\mathcal{G} = (\mathcal{A}, F)$ consists of an arena \mathcal{A} and a set $F \subseteq V$. Player 0 wins a play π if $In(\pi) \cap F \neq \emptyset$, otherwise Player 1 wins.
- A Parity game $\mathcal{G} = (\mathcal{A}, c)$ consists of an arena \mathcal{A} and a coloring function $c : V \rightarrow \mathbb{N}$. Player 0 wins play π if $\max\{c(q) \mid q \in In(\pi)\}$ is even, otherwise Player 1 wins.
- ...

Definition 6

- A strategy f_σ is p -winning for player σ and position p if all plays that conform to f_σ and that start in p are won by Player σ .
- The winning region for player σ is the set of positions

$$W_\sigma = \{p \in V \mid \text{there is a strategy } f_\sigma \text{ s.t. } f_\sigma \text{ is } p\text{-winning}\}.$$


Definition 7 A game is determined if $V = W_0 \cup W_1$.

Definition 8

- A memoryless strategy for player σ is a function $f_\sigma : V_\sigma \rightarrow V$ which defines a strategy $f'_\sigma(u \cdot v) = f_\sigma(v)$.
- A game is memoryless determined if for every position some player wins the game with memoryless strategy.

14 Solving Reachability Games

Example:



□ = Player 0; ○ = Player 1;

$R = \{1, 4\}$, $W_0 = \{1, 2, 3, 4, 5, 6, 7, 9\}$, $W_1 = \{8, 10, 11, 12\}$.



Attractor Construction:

$$Attr_{\sigma}^0(X) = \emptyset;$$

$$Attr_{\sigma}^{i+1}(X) = Attr_{\sigma}^i(X) \cup \{p \in V_{\sigma} \mid \exists p' . (p, p') \in E \wedge p' \in Attr_{\sigma}^i(X) \cup X\} \cup \{p \in V_{1-\sigma} \mid \forall p' . (p, p') \in E \Rightarrow p' \in Attr_{\sigma}^i(X) \cup X\};$$

$$Attr_{\sigma}^+(X) = \bigcup_{i \in \omega} Attr_{\sigma}^i(X).$$

$$Attr_{\sigma}(X) = Attr_{\sigma}^+(X) \cup X$$

Theorem 1 *Reachability games are memoryless determined.*

Proof:

Let $q \in V$.

1. If $p \in Attr_0(R)$, then $p \in W_0$, with memoryless strategy f_0 :
 - Fix an arbitrary total ordering on V .
 - for $p \in V_0$ we define $f_0(q)$:
 - if $p \in Attr_0^i(R)$ for some smallest $i > 0$, choose the minimal $p' \in Attr_0^{i-1}(R) \cup R$.
 - otherwise, choose the minimal $p' \in V$ such that $(p, p') \in E$.
 - Hence, if $p \in Attr_0^i(R)$ for some i , then any play that conforms to f_0 reaches R in at most i steps.
2. If $p \notin Attr_0(R)$, then $p \in W_1$ with memoryless strategy f_1 :
 - for $p \in V_1$ we define $f_1(q)$:
 - if $p \in V_1 \setminus Attr_0(R)$, pick minimal $p' \in V \setminus Attr_0(R)$ such that $(p, p') \in E$. Such a p' must exist, since otherwise $p \in Attr_0(R)$.
 - otherwise, pick minimal $p' \in V$ such that $(p, p') \in E$.
 - Hence, if $p \in V \setminus Attr_0(R)$, then any play that conforms to f_1 never visits $Attr_0(R)$ and hence never R .

■

15 Solving Büchi Games

Recurrence Construction:

$$Recur_\sigma^0 = F;$$

$$Recur_\sigma^{i+1} = F \cap Attr_\sigma^+(Recur_\sigma^i);$$

$$Recur_\sigma = \bigcap_{i \in \omega} Recur_\sigma^i.$$

Theorem 2 *Büchi games are memoryless determined.*

Proof:

- If $p \in Attr_0(Recur_0)$, then $p \in W_0$, with memoryless strategy f_0 :
 - Fix an arbitrary total ordering on V .
 - for $p \in V_0$ we define $f_0(q)$:
 - * if $p \in Attr_0(Recur_0)$, choose
 - the minimal $p' \in Recur_0$, if $(p, p') \in E$ exists,
 - the minimal $p' \in Attr_0^i(Recur_0)$ for minimal i such that $(p, p') \in E$ exists, otherwise.

- * if $p \notin \text{Attr}_0(\text{Recur}_0)$, choose minimal $p' \in V$ with $(p, p') \in E$.
- If $p \notin \text{Attr}_0(\text{Recur}_0)$, then $p \in W_1$ with memoryless strategy f_1 : we define memoryless strategies f_1^i such that if a play starts in $p \in V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$ and conforms to f_1^i , then there are at most i further visits to F (not counting a possible visit in the first position).
 - $f_1^0(p)$: choose minimal $p' \in V$ such that $(p, p') \in E$ and $p' \in V \setminus \text{Attr}_0(F)$.
 - if $p \in V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$, $f_1^{i+1}(p) = f_1^i(p)$;
 - if $p \notin V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$, i.e., if $p \in \text{Attr}_0^+(\text{Recur}_0^i) \setminus \text{Attr}_0^+(\text{Recur}_0^{i+1})$, then for $f_1^{i+1}(p)$ choose minimal p' such that $(p, p') \in E$ and $p' \in \text{Attr}_0^+(\text{Recur}_0^i) \setminus \text{Attr}_0^+(\text{Recur}_0^{i+1})$.
- Induction on i :
 - $i = 0$: Player 1 can avoid $\text{Attr}_0(F)$ and hence F ;
 - $i + 1$:
 - * case 1: play never reaches F ;
 - * case 2: play reaches $p' \in F \setminus \text{Recur}_0^{i+1} = F \setminus \text{Attr}_0^+(\text{Recur}_0^i) \subseteq V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$; by induction hypothesis, at most i further visits to F , not counting the visit in p' , hence a total of at most $i + 1$ visits from p .

■