

Automata, Games, and Verification: Lecture 10

12 Games

Definition 1 A game arena is a triple $\mathcal{A} = (V_0, V_1, E)$, where

- V_0 and V_1 are disjoint sets of positions, called the positions of player 0 and 1,
- $E \subseteq V \times V$ for set $V = V_0 \uplus V_1$ of game positions,
- every position $p \in V$ has at least one outgoing edge $(p, p') \in E$.

Definition 2 A play is an infinite sequence $\pi = p_0 p_1 p_2 \dots \in V^\omega$ such that $\forall i \in \omega . (p_i, p_{i+1}) \in E$.

Definition 3 A strategy for player σ is a function $f_\sigma : V^* \cdot V_\sigma \rightarrow V$ s.t. $(p, p') \in E$ whenever $f_\sigma(u \cdot p) = p'$.

Definition 4 A play $\pi = p_0, p_1, \dots$ conforms to strategy f_σ of player σ if $\forall i \in \omega .$ if $p_i \in V_\sigma$ then $p_{i+1} = f_\sigma(p_0, \dots, p_i)$.

Definition 5

- A reachability game $\mathcal{G} = (\mathcal{A}, R)$ consists of a game arena and a winning set of positions $R \subseteq V$. Player 0 wins a play $\pi = p_0 p_1 \dots$ if $p_i \in R$ for some $i \in \omega$, otherwise Player 1 wins.
- A Büchi game $\mathcal{G} = (\mathcal{A}, F)$ consists of an arena \mathcal{A} and a set $F \subseteq V$. Player 0 wins a play π if $In(\pi) \cap F \neq \emptyset$, otherwise Player 1 wins.
- A Parity game $\mathcal{G} = (\mathcal{A}, c)$ consists of an arena \mathcal{A} and a coloring function $c : V \rightarrow \mathbb{N}$. Player 0 wins play π if $\max\{c(q) \mid q \in In(\pi)\}$ is even, otherwise Player 1 wins.
- ...

Definition 6

- A strategy f_σ is p -winning for player σ and position p if all plays that conform to f_σ and that start in p are won by Player σ .
- The winning region for player σ is the set of positions

$$W_\sigma = \{p \in V \mid \text{there is a strategy } f_\sigma \text{ s.t. } f_\sigma \text{ is } p\text{-winning}\}.$$

Definition 7 A game is determined if $V = W_0 \cup W_1$.

Definition 8

- A memoryless strategy for player σ is a function $f_\sigma : V_\sigma \rightarrow V$ which defines a strategy $f'_\sigma(u \cdot v) = f_\sigma(v)$.
- A game is memoryless determined if for every position some player wins the game with memoryless strategy.

13 Solving Reachability Games


Attractor Construction:

$$\begin{aligned}
 Attr_\sigma^0(X) &= \emptyset; \\
 Attr_\sigma^{i+1}(X) &= Attr_\sigma^i(X) \\
 &\quad \cup \{p \in V_\sigma \mid \exists p' . (p, p') \in E \wedge p' \in Attr_\sigma^i(X) \cup X\} \\
 &\quad \cup \{p \in V_{1-\sigma} \mid \forall p' . (p, p') \in E \Rightarrow p' \in Attr_\sigma^i(X) \cup X\}; \\
 Attr_\sigma^+(X) &= \bigcup_{i \in \omega} Attr_\sigma^i(X). \\
 Attr_\sigma(X) &= Attr_\sigma^+(X) \cup X
 \end{aligned}$$

The attractor construction solves the reachability game:

$$W_0 = Attr_0(R), \quad W_1 = V \setminus W_0.$$

Example: Consider the following reachability game with $R = \{1, 7\}$:



$$\begin{aligned}
 Attr_0^0(\{1, 7\}) &= \emptyset; \\
 Attr_0^1(\{1, 7\}) &= \{4, 8\}; \\
 Attr_0^2(\{1, 7\}) &= \{4, 8, 7, 9\}; \\
 Attr_0^3(\{1, 7\}) &= \{4, 6, 7, 8, 9\}; \\
 Attr_0^4(\{1, 7\}) &= \{4, 6, 7, 8, 9\}; \\
 Attr_0^+(\{1, 7\}) &= \{4, 6, 7, 8, 9\}; \\
 Attr_0(\{1, 7\}) &= \{1, 4, 6, 7, 8, 9\}.
 \end{aligned}$$



Theorem 1 *Reachability games are memoryless determined.*

Proof:

Let $p \in V$.

1. If $p \in Attr_0(R)$, then $p \in W_0$, with memoryless strategy f_0 :
 - Fix an arbitrary total ordering on V .
 - for $p \in V_0$ we define $f_0(q)$:

- if $p \in Attr_0^i(R)$ for some smallest $i > 0$, choose the minimal $p' \in Attr_0^{i-1}(R) \cup R$ such that $(p, p') \in E$;
 - otherwise, choose the minimal $p' \in V$ such that $(p, p') \in E$.
 - Hence, if $p \in Attr_0^i(R)$ for some i , then any play that conforms to f_0 reaches R in at most i steps.
2. If $p \notin Attr_0(R)$, then $p \in W_1$ with memoryless strategy f_1 :
- for $p \in V_1$ we define $f_1(q)$:
 - if $p \in V_1 \setminus Attr_0(R)$, pick minimal $p' \in V \setminus Attr_0(R)$ such that $(p, p') \in E$. Such a p' must exist, since otherwise $p \in Attr_0(R)$.
 - otherwise, pick minimal $p' \in V$ such that $(p, p') \in E$.
 - Hence, if $p \in V \setminus Attr_0(R)$, then any play that conforms to f_1 never visits $Attr_0(R)$ and hence never R .

■

14 Solving Büchi Games

Recurrence Construction:

$$Recur_\sigma^0 = F;$$

$$Recur_\sigma^{i+1} = F \cap Attr_\sigma^+(Recur_\sigma^i);$$

$$Recur_\sigma = \bigcap_{i \in \omega} Recur_\sigma^i.$$

The recurrence construction solves the Büchi game:

$$W_0 = Attr_0(Recur_0), \quad W_1 = V \setminus W_0.$$

Example: Same example as before, now as Büchi game with $F = \{1, 7\}$:

$$Recur_0^0(\mathcal{G}) = \{1, 7\} \quad W_0 = \{4, 6, 7, 8, 9\}$$

$$Attr_0^+(\{1, 7\}, \mathcal{G}) = \{4, 6, 7, 8, 9\} \quad W_1 = \{1, 2, 3, 5\}$$

$$Recur_0^1(\mathcal{G}) = \{7\}$$

$$Attr_0^+(\{7\}, \mathcal{G}) = \{4, 6, 7, 8, 9\}$$

$$Recur_0(\mathcal{G}) = \{7\}$$

$$Attr_0(\{7\}, \mathcal{G}) = \{4, 6, 7, 8, 9\}$$

+

Theorem 2 *Büchi games are memoryless determined.*

Proof:

- If $p \in Attr_0(Recur_0)$, then $p \in W_0$, with memoryless strategy f_0 :
 - Fix an arbitrary total ordering on V .
 - for $p \in V_0$ we define $f_0(q)$:
 - * if $p \in Attr_0(Recur_0)$, choose
 - the minimal $p' \in Recur_0$, if $(p, p') \in E$ exists,
 - the minimal $p' \in Attr_0^i(Recur_0)$ for minimal i such that $(p, p') \in E$ exists, otherwise.

- * if $p \notin \text{Attr}_0(\text{Recur}_0)$, choose minimal $p' \in V$ with $(p, p') \in E$.
- If $p \notin \text{Attr}_0(\text{Recur}_0)$, then $p \in W_1$ with memoryless strategy f_1 : we define memoryless strategies f_1^i such that if a play starts in $p \in V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$ and conforms to f_1^i , then there are at most i further visits to F (not counting a possible visit in the first position).
 - for $i = 0$:
 - $f_1^0(p)$: choose minimal $p' \in V$ such that $(p, p') \in E$ and $p' \in V \setminus \text{Attr}_0(F)$.
 - for $i > 0$:
 - * if $p \in V \setminus \text{Attr}_0^+(\text{Recur}_0^{i-1})$, $f_1^i(p) = f_1^{i-1}(p)$;
 - * if $p \in \text{Attr}_0^+(\text{Recur}_0^{i-1}) \setminus \text{Attr}_0^+(\text{Recur}_0^i)$, then for $f_1^i(p)$ choose minimal p' such that $(p, p') \in E$ and $p' \in \text{Attr}_0^+(\text{Recur}_0^{i-1}) \setminus \text{Attr}_0^+(\text{Recur}_0^i)$.

Proof by induction on i :

- $i = 0$: Player 1 can avoid $\text{Attr}_0(F)$ and hence F ;
- $i + 1$:
 - * case 1: play never reaches F ;
 - * case 2: play reaches $p' \in F \setminus \text{Recur}_0^{i+1} = F \setminus \text{Attr}_0^+(\text{Recur}_0^i) \subseteq V \setminus \text{Attr}_0^+(\text{Recur}_0^i)$; by induction hypothesis, at most i further visits to F , not counting the visit in p' , hence a total of at most $i + 1$ visits from p .

■